Laser Focus World index: Jan. 1989–Dec. 1989*

CATEGORIES

■ **Companies and Markets**
Laser
Optics
Fiberoptics
Electronic imaging
General

■ **Conferences**

■ **Electronic Imaging**
Detectors and sensors
Displays
Image processing
Systems and applications

■ **Fiberoptics**
Components
Instrumentation
Research
Systems

■ **Laser Applications**
Biomedical
Chemistry and spectroscopy
Fusion
Holography
Materials processing
Aerospace and military
Optical data storage
Reprographics and printing
Test instrumentation

■ **Lasers**
Components, instrumentation, and materials
Design and operation
Research

■ **Optics**
Components and materials
Design and fabrication
Research
Software

■ **Other Electro-Optics**

■ **Optical Computing Newsletter**

*This index includes all contributed articles and major news stories published from January to December 1989. The items are arranged by category and in order by month of issue.—**Ed.**

■ COMPANIES AND MARKETS

Laser
1989 laser economic review and outlook, D. Kales, Jan., p. 95.
German laser companies project high 1989 growth, U. Brinkmann, Jan., p. 116.
Japan stakes out optical semiconductor market, J. Nagasawa and G. T. Forrest, Jan., p. 123.
Acquisitions and mergers in 1988: *perestroika* of the laser industry, Feb., p. 55.
How laser companies fared in 1988, D. Kales, Mar., p. 69.
$530 million market for medical lasers projected in 1992, I. J. Arons, Apr., p. 61.
European medical laser companies keep pace with competition, M. Moretti, May, p. 67.
The EEC develops industrial lasers, U. Brinkmann, May, p. 75.
Standards work expands at UK lab, B. Dance, May, p. 96.
Laser-marking systems reach 5000 worldwide, D. A. Belforte, June, p. 73.
Market performance indicates bright outlook for lasers in Japan, G. Forrest, J. Nagasawa, June, p. 111.
Laser industry makes solid impression at CLEO/QELS, Y. A. Carts and L. M. Holmes, July, p. 21.
Diode maker vows to win visible laser race, M. Moretti, Aug., p. 30.
OPTO '89 brings new products to Paris, R. Roux, Sept., p. 30.
Suppliers diversify diode-pumped lasers, G. T. Forrest, Sept., p. 91.
InterOpto showcases Japanese technology, G. T. Forrest, Oct., p. 26.
Excimer fever peaks at annual ophthalmology convention, Dec., p. 7.

Optics
Optics takes the offensive, D. Kales, Oct., p. 101.
Optical-design software achieves industrial importance, R. R. Shannon, Nov., p. 15.
Spawr vs. US reaches Supreme Court, D. Kales, Nov., p. 17.
Optical-computing contract award, Nov., p. 56.

Fiberoptics
Optimism and risk-taking keys to future growth in fiberoptics markets, S. Bhatia, Feb., p. 15.
Cautious optimism marks short-term prospects for fiber, B. Murray, Feb., p. 139.
French fiberoptic network expands rapidly, R. Roux, Apr., p. 171.
ITA tracks fiber industry, P. Speser, June, p. 19.
Key markets spur development of fiberoptic interfaces, M. K. Barnoski, Aug., p. 15.
OPTO '89 showcases fiber components, Sept., p. 159.
Japanese exhibit next-generation fiberoptic devices, G. T. Forrest, Oct., p. 145.
Fiberoptics poised for rapid growth in 1990s, R. Mack, Dec., p. 147.

Electronic Imaging
Can US companies compete in display market? L. Huckins, May, p. 70.
Will defense cutbacks hurt detector industry?, D. Kales, Sept., p. 121.
Photodetector market shows diverse trends, D. L. Thoman, Sept., p. 132.

General
Foreign competition poses threat, L. DeBenedictis, Jan., p. 19.
Let your computer do the walking, P. Speser, Jan., p. 21.
Part I: Can we increase funding for science?, P. Speser, Mar., p. 19.
Part II: Can we increase funding for science?, P. Speser, Apr., p. 19.
Japan's optoelectronics industry grew 20% in FY88, D. Kales, June, p. 73.
DoD plan targets electro-optic technologies, P. Speser, Aug., p. 17.
Part I: Where to look for optical-materials funding, P. Speser, M. Wood, T. Rosi, Sept., p. 17.
Grants program spurs laser, E-O development, Y. Carts, Sept., p. 24.
Job and salary survey, D. Kales, Sept., p. 143.
Part II: Where to look for optical-materials funding. P. Speser, M. Wood, and T. Rosi, Oct., p. 17.

■ CONFERENCES

OF&T workshop explores new territories, H. Karow, Feb., p. 39.
CLEO and QELS bring progress in laser science and technology, Apr., p. 67.
Microlithography exhibit expands, G. T. Forrest, May, p. 26.
ILS-V covers broad areas of laser science, May, p. 34.
SID '89 showcases progress in displays, May, p. 47.
What European companies will be showing at Laser 89 Munich, U. Brinkmann, May, p. 99.
Orlando speakers look at IR detectors, imaging, A. Tebo, June, p. 51.
St. Louis speakers link materials and detectors, W. Tennant, June, p. 53.
Scatter measurements test optical-surface quality, J. Stover, July, p. 51.
Coherent laser-radar conference convenes in Munich, Sept., p. 22.
OPTO '89 showcases fiber components, Sept., p. 159.
OE/FIBERS brings new components and systems, Oct., p. 11.
InterOpto showcases Japanese technology, G. T. Forrest, Oct., p. 26.
Move over Mickey, here comes OPTICS '89, Oct., p. 42.
Midwest optics makes a splash, Oct., p. 47.
Japanese exhibit next-generation fiberoptic devices, G. T. Forrest, Oct., p. 145.
OE/FIBERS '89 presents system refinements, Y. A. Carts, Nov., p. 146.
Japan and U.S.S.R. dominate CO and CO_2 developments at OE/LASE, Y. A. Carts, Dec., p. 22.
OE/LASE session debates strained-layer-laser merits, Y. A. Carts, Dec., p. 24.
ECOC speakers describe communications advances, Dec., p. 143.

■ ELECTRONIC IMAGING

Detectors and sensors
Materials work supports detector advances, A. R. Tebo, Jan., p. 45.
Coating pushes CCD spectral response to 120 nm, Jan., p. 57.
Suppliers of optical detectors, Feb., p. 115.
Consider sensor design when choosing CCD camera, D. Lake, Mar., p. 125.
Sensor technology breaks new ground, M. Blouke, May, p. 58.
French company delivers industrial MBE reactor, R. Roux, July, p. 60.
Infrared CCDs enhance sensor arrays, R. Roux, Sept., p. 47.
Sensor chip gives better view of sun, Sept., p. 62.
Color video module is flexible, L. E. Ravich, Oct., p. 64.
London exhibitors extend IR sensor technology, B. Dance, Nov., p. 42.

Displays
Computer-controlled laser animation, L. Huckins, Feb., p. 44.
Polysilicon films support display circuitry, B. Dance, Apr., p. 54.
Tiny display projects full-size image, L. Belleville, May, p. 56.
Will TFELs take over where CRTs leave off?, E. Schlam, May, p. 137.
Displays meet HDTV, facsimile, photography needs, L. Ravich, Aug., p. 54.
Flat panels dominate displays exhibit, L. E. Ravich, Sept., p. 54.
IR diode arrays sense earth radiation, B. Dance, Sept., p. 60.
Stereo monitors put images in perspective, Y. A. Carts, Oct., p. 41.
Parallax provides 3-D TV without glasses, Y. A. Carts, Dec., p. 36.

TENTH ANNUAL MEETING
AMERICAN SOCIETY FOR LASER MEDICINE AND SURGERY

April 6, 7, & 8, 1990
Opryland Hotel
Nashville, Tennessee

SCIENTIFIC PRESENTATIONS, POSTER DISPLAYS
COMMERCIAL AND SCIENTIFIC EXHIBITS

THREE OUTSTANDING DIDACTIC COURSES
LASER BIOPHYSICS AND ITS RELATION TO CLINICAL PRACTICE OF LASER MEDICINE AND SURGERY
LASER FUNDAMENTALS FOR NURSES: A BASIC COURSE
ADVANCED CONCEPTS IN LASER THERAPY FOR NURSES
April 5, 1990

FOR INFORMATION CONTACT:
American Society for Laser Medicine and Surgery, Inc.
2404 Stewart Square
Wausau, Wisconsin 54401
(715) 845-9283

Image processing
Man-made optics contribute to space-imaging success, L. Belleville, Nov., p. 41.

Systems and applications
Still video reaches for film quality, L. Huckins, Jan., p. 56.
Streak tube achieves 50-fs resolution, A. R. Tebo, Feb., p. 42.
Inspection system detects flaws, Mar., p. 58.
Defense needs challenge complex imaging systems, A. Janjua, Apr., p. 17.
Picosecond imaging microscope studies polymer ablation, A. Tebo, May, p. 47.
Combustion imaging studies strive for efficient automobiles, June, p. 60.
Vision system "sees" through murky water, B. Dance, June, p. 62.
Second-generation technology enhances military imaging, W. Mueffelmann and S. Iwasa, Aug., p. 109.
High-speed photos record failure process, Oct., p. 58.
Instrument analyzes video cameras, B. Dance, Oct., p. 60.
Laser range finder operates in 4.6- to 4.8-μm band, B. Dance, Nov., p. 44.
Imaging industry pins hopes document automation, L. Ravich, Dec., p. 131.

■ FIBEROPTICS

Components
Fiberoptic crossbar switch interconnects 16 × 16 lines, Jan., p. 13.
OFC showcases coherent systems, Y. A. Carts, Jan., p. 171.
Optical communications achieve higher sensitivities, Y. Carts, Jan., p. 171.
Sapphire fibers transmit infrared power, L. M. Holmes, Mar., p. 140.
Single-mode fiber connectors must resist strain, J. Eberle and A. Plotts, Mar., p. 149.
First rubber optical fiber flexes to sense pressure, Apr., p. 13.
InP-based switch array developed in Japan, P. Mortensen, Apr., p. 176.
Putting fiber to the (environmental) test, June, p. 137.
Interferometric and intensity sensors become more sophisticated, A. D. Kersey, T. G. Giallorenzi, and A. Dandridge, July, p. 137.
British fiberoptics show covers range of products, B. Dance, Aug., p. 118.
Semiconductor rings lase, B. Dance, Sept., p. 157.
Integration yields optoelectronic components for the 1990s, P. Selway and J. Mun, Sept., p. 169.
GaAs-on-Si technology supports OEICs, R. Roux, Oct., p. 147.
Fiberoptic gyroscope uses waveguide circuit, R. Roux, Oct., p. 149.
Charging technique leads to high-resolution lithography, B. Dance, Oct., p. 149.
Organic grating will serve optoelectronics, B. Dance, Oct., p. 150.
Planar technology enhances coupler performance, V. Bhagavatula, G. Holmes, D. Nolan, R. Jansen, and M. McCourt, Oct., p. 155.
Britain maintains fiberoptic strength, B. Dance, Dec., p. 161.
French component suppliers support fiberoptics applications, R. Roux, Dec., p. 163.

Instrumentation
Optically pumped 1.54-μm fiber amplifier looks promising, B. Dance, Feb., p. 129.
Integrated optical sensors scan submicrometer features, R. Roux, Mar., p. 139.
CCD imaging system measures fiber dimensions, B. Dance, Mar., p. 139.
Glass fiber bundles offer 100-m range, May, p. 144.
Firm applies holography to fiberoptics

PHOTOREFRACTIVE CRYSTALS

Photorefractive crystals are a class of electro-optic materials which can be used with low power CW laser sources (He-Ne, Ar⁺, diode etc) for nonlinear optical applications such as phase conjugation, adaptive optics, dynamic holography, image processing, frequency mixing and doubling. Exitech can supply a wide range of these materials in poled and polished single crystalline form including:

$BaTiO_3$ · SBN with cerium doping · BSN · BSO · BGO · $LiNbO_3$ with iron doping · $KNbO_3$ with iron doping · $LiTaO_3$ · KTN · GaAs with chromium doping

Also available: thin BSO crystal Pockels readout spatial light modulator systems



Exitech

For other crystals, prices and delivery contact:
Exitech Ltd., Hanborough Business Park, Long Hanborough, Oxford OX7 2LH U.K.
Tel: (0)993 883324 Fax: (0)993 883334

CIRCLE NO. 155

WRITE FOR YOUR FREE EDMUND SCIENTIFIC OPTICAL CATALOG

Features 172 pages and over 7,000 products

Our new, full color catalog describes one of the largest and most diversified lines in the nation of precision lenses, optics and optical instruments available for immediate delivery.

Let us assist you with your optical requirements. Send specifications for quotation.



REFLECTIVE OPTICS STOCK AND CUSTOM
■ Spherical ■ Elliptical ■ Parabolic ■ Front/Second Surface, Mirrors ■ Aluminized Optical Flats ■ Gold Coated Mirrors ■ Beam Splitters

PRECISION OPTICS OFF THE SHELF
■ Heat Absorbing Lenses ■ Simple Lenses ■ Prisms ■ Achromats ■ Fiber Optics ■ Fresnel Lenses ■ Magnifiers

OPTICAL INSTRUMENTS
■ Microscopes ■ Telescopes ■ Comparators ■ Lasers

Serving Industry Since 1942 Tel. (609) 573-6250 • Fax. (609) 573-6295

Edmund Scientific Co.
Dept. 10B1, N923 Edscorp Bldg., Barrington, NJ 08007

CIRCLE NO. 156

and optical computing, M. Moretti, July, p. 131.
Diode-laser developers look to broadband optical communications, T. P. Lee, Aug., p. 129.
Detectors and receivers reach for sensitivity and bandwidth, T. V. Muoi, Aug., p. 135.
Source-module redesign improves single-mode test reliability, R. Parikh, Nov., p. 153.
Test system quantifies insertion loss in multimode components, D. Polinsky, Nov., p. 160.
Instrument measures signal polarization, B. Dance, Dec., p. 144.

Research
Electrical pulse shaping reduces bit error rate, B. Dance, Jan., p. 171.
Sensor uses speckle as detecting parameter, Jan., p. 173.
Crystal fibers transmit IR power, Feb., p. 9.
Prototype InP-based carrier-injection optical switch array developed, Mar., p. 11.
Passive fiberoptic arrangement switches solitons, Mar., p. 11.
British claim first complete optical switching, B. Dance, June, p. 138.
Fiber laser emits picosecond solitons, G. T. Forrest, Aug., p. 117.
Er fiber amplifies 200-fs solitons, Nov., p. 147.

Systems
Strain sensor uses polarization-maintaining fiber, B. Dance, Jan., p. 174.
Fiberoptic laser-delivery system offers alternative to conventional systems, B. Dance, Feb., p. 128.
Distributed temperature sensors use laser scattering, B. Dance, Mar., p. 142.
Broadband trial takes fiber to subscribers' doors, B. Dance, Mar., p. 143.
Coherent fiberoptic systems: the next generation?, E. Basch, Apr., p. 185.
Fiber interface captures optical signals, L. Belleville, May, p. 143.
How will fiber penetrate wiring in buildings? B. Gearing, May, p. 155.
What FDDI says about hardware, R. L. Ohlhaber, May, p. 165.
FDDI challenges interface designers, M. J. Hartmann, May, p. 169.
Fiberoptic devices aid in medical diagnosis and therapy, June, p. 138.
Ti:$LiNbO_3$ waveguides support high-speed modulation and switching, S. K. Korotky, June, p. 151.
Halide fiber delivers IR power, P. Mortensen, July, p. 133.
Speakers express fiber-to-the-subscriber concerns, Y. A. Carts, Sept., p. 157.
FDDI interoperability taking shape, Y. A. Carts, Sept., p. 159.
Proposed $1.9 billion fiber net would link supercomputers, Oct., p. 11.
OE/FIBERS '89 presents system refinements, Y. A. Carts, Nov., p. 146.
Research paves way for fiberoptic applications, D. Channin, Dec., p. 155.

■ LASER APPLICATIONS

Biomedical
Lasers and genetic engineers, Y. A. Carts, Mar., p. 23.
Medical-laser technology responds to user needs, M. Moretti, Mar., p. 89.
Cardiology meeting reveals laser angioplasty advances, M. Moretti, June, p. 38.
Lasers may help assess vegetation, E. Chappelle, D. Williams, R. Nelson, J. Mc-Murtrey III, June, p. 123.
Laser-speckle monitors intra-cellular motion, B. Dance, Sept., p. 39.
Avoiding laboratory re-renovation, S. Parus, Oct., p. 91.

Short Arc Lamps From Our Little Corner Of The Globe . . .

. . . To Yours

OPTICAL RADIATION CORPORATION
LAMP DIVISION
1300 Optical Dr., Azusa, CA 91702 / 818 969 3344
TWX 910 584 4851 • FAX 818 969 2260

156 CIRCLE NO. 157

A US Manufacturer of
PRECISION OPTICAL WINDOWS



Increase your competitive edge with ESCO
Precision Windows:
• Tolerance: ±.0005" to ±.005" • Parallel: 10 min to 1 sec
• Flatness: 10 waves to 1/10 λ • Surface: 80-50 to 10-5
Thin Windows:
• Thickness: to .004" • Tolerance: to ±.0002"
All Types of Materials:
• Quartz • Glass • Sapphire • Pyrex • Vycor
Complete production facilities under one roof!
Write or Call for Handbook

Call Toll Free: 1-800-922-ESCO (Except NJ)
ESCO Precision Optics
A Division of ESCO Products, Inc.
171 Oak Ridge Road, Oak Ridge, New Jersey 07438
(201) 697-3700 FAX: 201-697-3011

CIRCLE NO. 158

■ LASER FOCUS WORLD INDEX

Chemistry and spectroscopy
Laser spectroscopy aids protein research, Jan., p. 34.
Raman microprobing offers potential, J. Lerner and F. Adar, Feb., p. 73.
Three-photon absorption enriches uranium, G. T. Forrest, Mar., p. 32.
French study laser-based uranium enrichment, R. Roux, May, p. 81.
Iodine laser creates plasma x-rays, B. Dance, June, p. 26.
Japan eyes lasers for uranium enrichment, P. Mortensen, June, p. 117.
PCs transform laser-induced spectroscopy, R. D. Compton, July, p. 101.
Ion-laser detection of fingerprints powerful, E. Menzel, Nov., p. 89.

Fusion
High-brightness lasers study atomic structure and nuclear fusion, Y. A. Carts, Nov., p. 23.

Holography
Holography broadens options of optical scanning, L. Beiser, May, p. 133.
Is there a holography industry?, L. T. Kontnik, July, p. 71.
Holography takes on a practical look, T. H. Jeong, July, p. 89.

Materials processing
Optcon exhibitors show computer-interfaced laser micromachining, G. T. Forrest, Jan., p. 26.
Carbon-monoxide laser cuts thick steel, G. T. Forrest, Jan., p. 32.
Another player joins the "instant" laser modeling game, Jan., p. 36.
Nd:YAG bonds semiconductor leads, Y. A. Carts, Mar., p. 34.
Lasers ablate oxide superconductors, P. Mortensen, Apr., p. 40.
Excimer lasers access semiconductor lithography, G. Forrest, May, p. 23.
Fab factory uses lasers in chip making, M. Moretti, May, p. 26.
The EEC develops industrial lasers, U. Brinkmann, May, p. 75.
Lucrative niches await lasers in semiconductor processing, Y. A. Carts, May, p. 105.
Excimer deposition creates flexible superconducting tapes, June, p. 7.
Nd:YAG lasers deposit superconductors, B. Dance, June, p. 30.
Laser modeling reduces engineering time, D. A. Belforte, June, p. 103.
Diode-laser sensors process lumber, Y. A. Carts, Aug., p. 35.
Computer-controlled laser custom marks keyboards, B. Dance, Sept., p. 32.
Lasers move into semiconductor production, G. Forrest, Sept., p. 99.
Chinese produce kilowatt CO_2 lasers, G. T. Forrest, Nov., p. 28.
Laser modeling system uses heat-fusible materials, Dec., p. 9.

Aerospace and military
Video simulator employs copper-vapor laser, S. Hiles and D. Denniel, Apr., p. 99.

LIGHT CONTROL
INSTRUMENTS



LCI-102 Regulated Current Source
The $495 Solution

- Output Current Range 0-200 mA
- Slow Turn-on Circuitry
- Precision Current Limit Set
- Use with all Laser Diodes & LED's

P.O. Box 4208, San Luis Obispo, CA 93403
Tel: (805) 544-8142, Fax: (805) 544-4970

CIRCLE NO. 159

MICRO KINETICS

PIEZOELECTRIC NANOMETER POSITIONING

Stabilize Laser Resonators, Interferometers, Translation Tables

☐ *Rapid response - μsec range*
☐ *Vacuum compatible versions*
☐ *Amplifier for +150V/±1000V*
☐ *One nanometer resolution*
☐ *Standard hollow core devices*
☐ *Standard and custom models*

Micro Kinetics provides extraordinary kinetics and robotic systems where quality and accuracy and superior performance are required: positioning in the sub-micron range, DC motors and controls, piezoelectric translators, from devices to full turnkey automation systems. Call today for a complete catalog or further information.

MICRO KINETICS Corp.
AN AFFILIATE OF CONTROL TECHNICS

23015 Del Lago Dr. Bldg. B1 Laguna Hills, CA 92653
(714) 770-9911 • FAX (714) 770-2492 • Telex 683384

CIRCLE NO. 160

Solid-state lidar promises longer lifetimes, Y. Carts, June, p. 23.
Space laser experiment synchronizes time, B. Dance, June, p. 24.
Solid-state progress supports coherent laser-radar technology, M. Kavaya, S. Henderson, C. Hale, Aug., p. 83.
Twelve-headed Nd:YAG laser works in lidar, R. Roux, Sept., p. 28.

Optical data storage
Optical storage becomes multifaceted, L. E. Ravich, Mar., p. 115.
Layered media make magneto-optical storage disks, T. Fujiwara, Nov., p. 109.
Electrical optical-storage approaches development, J. Lindmayer, P. Goldsmith, C. Wrigley, Nov., p. 119.

Reprographics and printing
Laser system achieves filmless flexographic printing, B. Dance, Jan., p. 30.
Compact color printer designs take shape, G. T. Forrest, Apr., p. 53.

Test instrumentation
Stand-alone instruments measure wavelengths, L. Cotnoir, Apr., p. 109.
Excimer-laser work spurs UV beam-profiler, Y. Carts, Aug., p. 21.

■ **LASERS**

Components, instrumentation, and materials
Ti:sapphire developments yield diverse products, Jan., p. 9.
Commercial lasers 1988–89, L. Holmes, Jan., p. 67.
British laser industry develops products for 1989, B. Dance, Jan., p. 119.
Streak-camera technology makes strides, A. Prokhorov, M. Schelev, Feb., p. 85.
Autocorrelators measure single laser pulses, J. Diels, Feb., p. 95.
Room-temperature catalysts regenerate CO_2, Y. A. Carts, Mar., p. 36.
Alexandrite finds new acceptance, Y. A. Carts, Apr., p. 28.
Grating/profiler measures diode spectrum, G. T. Forrest, May, p. 32.
Pick a laser lens, W. Lowrey, W. Swantner, May, p. 121.
UV optics: a designer's wish list, K. J. Harte, June, p. 17.
Europe sets standards for safety goggles, B. Dance, Oct., p. 33.
System profiles excimer beam, B. Dance, Nov., p. 26.

Design and operation
Copper laser pumps Ti:sapphire oscillator, G. T. Forrest, Jan., p. 25.
Doubled diode laser emits blue light, G. T. Forrest, Jan., p. 25.
Ti:sapphire products emerge, Y. A. Carts, Feb., p. 23.
Ti:sapphire moving in dye-laser territory, G. Forrest, Feb., p. 23.
High peak power Ti:sapphire laser on market, Y. A. Carts, Feb., p. 28.
CPM laser produces pulses under 80 fs, R. Roux, Feb., p. 30.
Frequency-doubled Nd:YAG laser achieves high efficiency, U. Brinkmann, Feb., p. 33.
CW-pumped dyes yield ultrashort pulses, P. French, J. Taylor, Feb., p. 59.
Livermore researchers review solid-state laser work, G. T. Forrest, Mar., p. 23.
Solid-state lasers produce higher powers in UV, Y. Carts, Mar., p. 28.
Chemical oxygen/iodine laser emits in visible, G. T. Forrest, Mar., p. 33.
Nonlinear frequency conversion enhances diode-pumped lasers, R. L. Byer, Mar., p. 77.
Diode-laser bar pumps folded Nd:YAG resonator, G. Forrest, Apr., p. 25.
Single-frequency TEM_{00} diode-pumped Nd:YAG emits 0.5 W, U. Brinkmann, Apr., p. 38.
Laser water-cooling loops deserve attention, J. Gibson, Apr., p. 123.

SIMPLY A BETTER CHOPPER

When it comes to optical choppers you won't find better value or performance than the Bentham 218.



That's because we've concentrated on the important things like phase jitter, frequency stability and long motor life, and left out some of the more esoteric features not required in most applications.

The 218 gives you a chopping frequency range of 5Hz to 4kHz, a direct digital display of chopping frequency and a large chopping aperture.

For more details contact our Sales Department or complete the reply card.

BENTHAM

Bentham Instruments Ltd
2 Boulton Road, Reading
Berks RG2 0NH, England.
Tel: (0734) 751355
Fax: (0734) 312971

CIRCLE NO. 161

■ LASER FOCUS WORLD INDEX

How Gaussian is your beam? J. Fleischer, Apr., p. 131.
Sealed-off CO_2 lasers continue to produce higher powers, May, p. 11.
Frequency-doubled diode-pumped YAG pumps dye, G. Forrest, May, p. 36.
Surface-emitting diode lases CW at low threshold, P. Mortensen, May, p. 40.
UK pursues fiberoptic laser power delivery, B. Dance, May, p. 87.
Diode doubling simpler, June, p. 9.
Chemistry studies improve excimer gas lifetimes, G. Jurisch, D. Rufin, W.
Von Drasek, J. Reid, and T. Znotins, June, p. 93.
Researchers generate new diode-pumped solid-state laser designs, G. T. Forrest, July, p. 21.
Ring configuration improves Nd:YAG brightness, Y. Carts, July, p. 40.
He-Ne lasers are alive and well, A. L. S. Smith, July, p. 75.
Flashlamp pumps Ti:sapphire laser, Y. A. Carts, Aug., p. 21.
Visible diode lasers show performance advantages, J. Zeman, Aug., p. 69.
Ultrafast dye laser operates at 150 fs, G. T. Forrest, Sept., p. 21.
Fast laser tuning steers beam, Y. A. Carts, Sept., p. 33.
Titanium sapphire's star rises, Y. A. Carts, Sept., p. 73.
Tiny lasers promise high-speed communications, Y. Carts, Oct., p. 23.
Area scaling boosts CO_2-laser performance, D. Hall, H. Baker, Oct., p. 77.
Excimer laser meets lithography needs, P. Mortensen, Nov., p. 33.
Surface emitters support 2-D diode-laser technology, G. A. Evans, N. W. Carlson, J. M. Hammer, and R. A. Bartolini, Nov., p. 97.
Large-scale laser integration arrives, G. T. Forrest, Dec., p. 21.
Diode pumps ring laser, B. Dance, Dec., p. 22.
World laser review: diode and solid-state lasers set the pace, L. M. Holmes and Y. A. Carts, Dec., p. 59.
Industrial lasers: the trend is upward, D. A. Belforte, Dec., p. 69.
British research spurs commercial laser, B. Dance, Dec., p. 99.
German laser suppliers target applications, U. Brinkmann, Dec., p. 104.
Nd:YAG, Ti:sapphire mark French laser progress, R. Roux, Dec., p. 108.
Italian suppliers emphasize solid-state laser, L. Garifo, Dec., p. 109.

Research
Na_2 supersonic beam laser reaches 500-nW, U. Brinkmann, Mar., p. 30.
Visible excimer laser yields 0.7-J blue-green pulses, L. M. Holmes, Apr., p. 25.
Laser labs investigate grating surface-emitters, Y. Carts, Apr., p. 34.
Standards work expands at UK lab, B. Dance, May, p. 96.
Researcher makes x-ray laser breakthrough, P. Mortensen, June, p. 33.
Designing a UV laser system that tears atoms apart, T. S. Luk, June, p. 77.
Laser researchers explore frequency stability, B. Dance, Aug., p. 32.
Diode doubling yields higher blue outputs, G. Forrest, Sept., p. 36.
ST demonstrates 20-J XeCl excimer laser, G. T. Forrest, Oct., p. 23.
Tabletop laser gives 2.5-TW peak power, Y. A. Carts, Nov., p. 24.
Ultrashort pulses generate electric fields, B. Dance, Nov., p. 30.
Custom diodes support laser-doubling, G. Forrest, Nov., p. 32.

■ OPTICS

Components and materials
Automated spectrometer tests LEDs, G. T. Forrest, Jan., p. 52.
Lasers deposit diamond films, Y. A. Carts, Feb., p. 44.

Though you won't find us in the 1990 Buyer's Guide, you will find that CJ Laser is the world leader in metal vapor lasers.

- Customer service
- Manufacture
- Project development
- New applications
- Turnkey operation
- Laboratory research

With proven experience in
- High speed photography and holography
- Forensic examination
- Underwater surveillance
- Airborne systems
- Active output stabilization
- Programmable pulse delivery single shot to 30 KHz
- Lasing barium, gold, manganese, lead, strontium, calcium, bismuth & copper
- Standard & custom remote control & auxiliary equipment

Commanding Leadership in

METAL VAPOR LASERS

CJ LASER CORPORATION

3035 DRYDEN ROAD • DAYTON OHIO 45439
PHONE 513 295-0513 • FAX 513 296-1855

CIRCLE NO. 162

Visible Laser Diode
Low Cost
Power Supply



- Two Series: LDP1 (0.9 to 1.7VDC Input) LDP2 (4 to 12VDC Input)
- Output Current: 0 to 150mA
- Two Modes of Operation: Constant Current Mode or Constant Optical Output Power Mode
- Optical Feedback Circuit with Adjustable Power control
- Soft Turn-on, Turn-off for Diode Protection
- Optional: Diode Mount with Diode Heatsink, and Collimating Optics

$66.00/Ea (1-9 piece, Series #LDP2)
$45.73/Ea (100-249 piece, Series #LDP2)

Power Technology Inc.

Power Technology Incorporated

Box 9769 Little Rock, Arkansas 72219 501-568-1995

CIRCLE NO. 163

Position loads with low friction linear motion.

Del-Tron's positioning slides offer precise, repeatable micrometer adjustments with low friction linear motion and zero backlash.

Over 25 off-the-shelf ball and crossed roller models support load capacities to 88 lb. Travel up to 1" or 25 mm. Accuracy to 0.0001"/inch of travel, repeatability of 0.0001".

Slides stack in XY and XYZ configurations.

Call TOLL FREE: 1-800/245-5013
or write for literature and price list.

Del-Tron Precision, Inc.
5 Trowbridge Drive, P.O. Box 505
Bethel, CT 06801 TEL: 203/778-2727
TOLL FREE: 1-800/245-5013 FAX: 203/778-2721

CIRCLE NO. 164

■ LASER FOCUS WORLD INDEX

Narrow-bandpass filters meet criteria, P. Baumeister, Feb., p. 103.
KTP crystal produces 6.5-W frequency-doubled light, Mar., p. 47.
Ultrafast MCP-PMT supports fluorescence studies, Mar., p. 47.
Catadioptric projects excimer beam, B. Dance, Mar., p. 54.
$LiNbO_3$ waveguides allow nongenerate four-wave mixing, Apr., p. 51.
SpaceLab gets new optical windows, June, p. 58.
Optics community has limited sources for SiC, L. Belleville, Aug., p. 52.
Silicon carbide makes superior mirror, J. Bolch, R. Drake, Aug., p. 97.
DC motors bring advantages to positioning, H. Bannies, Sept., p. 140.
Nonlinear crystals will grow in space, Oct., p. 52.
Liquid-crystal shutter is fast, B. Dance, Oct., p. 54.
Rewritable optical disks arrive, Y. A. Carts, Oct., p. 60.
Moiré deflectometry tests laser wavefronts, optics, K. Kreske, E. Keren, O. Kafri, Oct., p. 129.
New "paper" multiplies optical-storage potential, L. E. Ravich, Nov., p. 46.
Chinese lab grows new nonlinear optical borate crystals, C. Chen, Nov., p. 129.
Interferometry tests IR materials and systems, P. Stahl, Dec., p. 119.

Design and fabrication
OF&T workshop explores new territories, H. Karow, Feb., p. 39.
ESO introduces active telescope optics, Mar., p. 50.
Engineering facility provides assistance, Mar., p. 54.
Replicated aspheres meet optical memory needs, G. B. A. Hut and J. W. Versluis, Mar., p. 105.
Phase-conjugating device detects alignment errors, J. B. Lisson, Apr., p. 139.
Lens designers: gradient index optics are in your future, S. Houde-Walter, Apr., p. 151.
Sky's the limit for big mirror production, L. Belleville, July, p. 51.
Computer program helps optical coating designers, L. Belleville, July, p. 58.
Optical fabricators act on technology needs, A. R. Tebo, July, p. 111.
Binary optics offers freedom to system designers, J. Cox, Aug., p.47.
Company launches CO/CO_2 laser line, B. Dance, Sept., p. 32.
Deposition technique adapts to precision optics, L. Belleville, Sept., p. 62.
Have you considered using variable bandpass filters? S. F. Rowlands and B. L. Swaby, Sept., p. 113.
Nitrogen lasers aid UV studies, Y. A. Carts, Oct., p. 83.
Grinding machine provides extreme precision, B. Dance, Nov., p. 54.
Plasma deposits NLO material, B. Dance, Nov., p. 58.
Photothermal technique generates lens arrays, D. Baranowski, L. Mann, R. Bellman, N. Borelli, Nov., p. 139.
IR windows match night-vision needs, Dec., p. 35.

■ LASER FOCUS WORLD INDEX

Research

Fresnel lenses support waveguide spectrum analyzer, B. Dance, Apr., p. 51.

Imprint your own optical-waveguide circuit, U. Brinkmann, Oct., p. 56.

Air "curtain" improves vision through atmosphere, L. Belleville, Nov., p. 56.

Bessel beam provides nondivergent spot, Y. A. Carts, Dec., p. 35.

Software

Programming with icons speeds lab automation, Y. Carts, Nov., p. 61.

Fast modeling of rugate filters, Y. A. Carts, Nov., p. 64.

Software enhances beam profiling, Y. A. Carts, Dec., p. 41.

■ OTHER ELECTRO-OPTICS

High-speed LED switches in 0.1 ns, P. Mortensen, June, p. 67.

■ OPTICAL COMPUTING NEWSLETTER

Volume 2 Number 2, Jan., p. 163.
Volume 2 Number 3, Apr., p. 163.
Volume 2 Number 4, July, p. 123.
Volume 3 Number 1, Oct., p. 137.

MICROSCOPE OBJECTIVES
AND SHORT FOCUS LENSES

- Standard Focal Lengths for UV, VIS, IR
- Guaranteed Cleanliness
- 2X, 5X, 10X, 20X, 40X, 60X
- Custom designs for UV, high power lasers
- New designs for laser diodes
- Available unmounted on order
- Custom antireflection coatings available



Optics for Research
OFR
PRECISION OPTICAL PRODUCTS

Box 82
Caldwell, New Jersey 07006
(201) 228-4480
Telex 4974643
FAX (201) 228-0915

NEW!
Send for our optical components catalog today!

CIRCLE NO. 165

OPTICAD
An Optical Layout and Analysis Software Tool for the Personal Computer and Workstation



FEATURES • EASY TO USE 3-D CAD FORMAT • UNCONSTRAINED RAY TRACE • MULTIPLE INDEPENDENT RAY PATHS • FULL 4π RAY TRACE • FULL 3-D COLOR GRAPHICS • FRESNEL & TOTAL INTERNAL REFLECTIONS • USER DEFINED POLYGONALLY FACETED OBJECTS

APPLICATIONS • FULL ELLIPSOIDS • LIGHT PIPES • ILLUMINATORS • FLASH LAMP PUMPING • STEPPED INDEX FIBERS • SCANNERS • CONES • 3-D PRISMS • RESONATORS • POINT-SOURCE RADIOMETRY • OPTO-MECHANICAL INTERFACE • IGES READ/WRITE INTERFACE

OPTICAD is supported by **THE OPTICOMP CORPORATION**
PO Box 9042, Santa Fe, NM 87504-9042, USA, (505) 988-7883

CIRCLE NO. 166

CAREERS IN OPTICS
You Chose the Right Profession... Now Let Us Help You Find the Right Position

Lasers	R&D
Infrared	Systems Design
Instruments	Lens Design
Fiber Optics	Mfg/Production
Thin Films	Sales/Marketing
Detectors	Optical Fab.
Imagery	Vacuum Coating

We are devoted exclusively to the nationwide recruitment of optical personnel at all levels in all of the above disciplines.

Confidential - No Fee
Please send resume to or call
BILL STARK

ALDEN OPTICAL PERSONNEL
P.O. Box 748, Wilmington, MA 01887
(508) 658-8454
Personnel Agency